CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

This Mitigation Inspection Form must be completed to capture mitigation features applicable to a Type II (4 to 6 story) or Type III (7 or more story) building. This Inspection Form is required for either residential condominium unit owners or commercial residential applicants requesting mitigation credits in such buildings.

WIND LOSS MI	TIGA	TION INFORMATION	NC					
PREMISES #:		SUBJECT OF INSURA	NCE:	Palm Aire Country Club No. 11, Inc.	POLICY #:			
BUILDING #:	3499	STREET ADDRESS: 3499 Oaks Way, Bldg #117 Pompano Beach, FL 33069						
# STORIES:	10	BLDG DESCRIPTION: 3499 Oaks Way, Bldg #117						
BUILDING TY	PE:	☐ II (4 to 6 stories)	X III (7 or more stories)				
•		category must be provi						
				indicated above TERRAIN EXPOSURE CATE C or ☐ Exposure B	GORY as defined under the			
Certification be premises.	Certification below for purposes of TERRAIN EXPOSURE CATEGORY above does not require personal inspection of the premises.							
Built On or After I hereby certi	Jan.1, fy that	2002). the basic WIND SPEI	ED of t	ish the basic wind speed of the location (Complete building or unit at the address indicated about BC) is (Check One): ☐ ≥100 or ☐ ≥110 or	ove based upon county wind			
				the buildings is constructed in a manner to exfor Terrain B only if Year Built On or After Jan.1				
				ess indicated above is designed and mitigated r	to the Florida Building Code			
	Certification for the purpose of establishing the basic WIND SPEED or WIND SPEED DESIGN above does not require personal inspection of the premises.							
NOTE: Any document of the company this for	nentat m. At		the commenting	ompliance or existence of each constructing the existence of each visible and acces beany this form.				
1 Ro	of Co	verinas						

1. Roof Coverings

Roof Covering Material: Built Up/Rolled Asphalt (Flat) Date of Installation: 2023 (239759, 11/16/23)

Level A (Non FBC Equivalent) – Type II or III

One or more roof coverings that do not meet the FBC Equivalent definition requirements below.

Level B (FBC Equivalent) – Type II or III

Single-Ply, Modified Bitumen, Sprayed Polyurethane foam, Metal, Tile, Built-up, Asphalt Shingle or Rolled Roofing, or other roof covering membranes/products that at a minimum meet the 2001 or later Florida Building Code or the 1994 South Florida Building Code and have a Miami-Dade NOA or FBC 2001 Product Approval listing that is/was current at the time of installation.

All mechanical equipment must be adequately tied to the roof deck to resist overturning and sliding during high winds. Any flat roof covering with flashing or coping must be mechanically attached to the structure with face fasteners (no clip/cleat systems), and asphalt roof coverings on flat roofs must be 10 years old or less.

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

2.	Roof Deck Attachment							
	Level A – Wood or Other Deck Type II only Roof deck composed of sheets of structural panels (plywood or OSB). Or							
	Architectural (non-structural) metal panels that require a solid decking to support weight and loads. Or							
	Other roof decks that do not meet Levels B or C below.							
	Level B – Metal Deck Type II or III Metal roof deck made of structural panels fastened to open-web steel bar joists and integrally attached to the wall.							
	Level C – Reinforced Concrete Roof Deck Type, II or III A roof structure composed of cast-in-place or pre-cast structural concrete designed to be self-supporting and integrally attached to wall/support system.							
3.	Secondary Water Resistance N/A							
	Underlayment A self-adhering polymer modified bitumen roofing underlayment (min rubber sheets with peel and stick underside located beneath the roof covering and normal felt underlayment) with a minimum width of 6" meeting the requirements of ASTM D 1970 installed over all players of SB joints to protect from water intrusion. All secondary water resistance products must be installed per me manufacturer's recommendations. Roofing felt or similar paper based products are not acceptable for secondary water resistance.							
	Foamed Achiesive A foamed polyurethane sheathing adhesive applied over all joints in the roof sheathing to protect interior from water intrusion.							
4.	Opening Protection N/A							
4.	Opening Protection N/A Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of:							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12;							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12; ASTM E 1886 and ASTM E 1996;							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12; ASTM E 1886 and ASTM E 1996; Miami-Dade PA 201, 202, and 203;							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12; ASTM E 1886 and ASTM E 1996;							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12; ASTM E 1886 and ASTM E 1996; Miami-Dade PA 201, 202, and 203;							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12; ASTM E 1886 and ASTM E 1996; Miami-Dade PA 201, 202, and 203; Florida Building Code TAS 201, 202 and 283. All glazed openings less than 30 feet above grade mall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High Velocity Hurricane Zone) all glazed openings greater than 60 feet above grade must also meet the Small Missile Test of the respective standard. Class B (Basic Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (4.5 lb.) impact requirements of:							
4.	Class A (Hurricane Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the Large Missile (9 lb.) impact requirements of: SSTD12; ASTM E 1886 and ASTM E 1996; Miami-Dade PA 201, 202, and 203; Florida Building Code TAS 201, 202 and 283. All glazed openings less than 30 feet above grade shall meet the Large Missile Test standard referenced above. All glazed openings between 30 and 60 feet above grade must meet the Small Missile Test of the respective standard. For buildings located in the HVHZ (High velocity Hurricane Zone) all glazed openings greater than 60 feet above grade must also meet the Small Missile Test of the respective standard. Class B (Basic Impact) – All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) less than 30 feet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant							

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

CITIZENS PROPERTY INSURANCE CORPORATION

BUILDING TYPE II AND III MITIGATION INSPECTION FORM

CERTIFICATION

I certify that I hold a	n active license as a: (CH	ECK ONE OF THE FOLLOWING	3)					
■ General or build	ng contractor licensed un	der Section 489.111, Florida St	atutes.					
☐ Building code in	spector certified under Se	ction 468.607, Florida Statutes						
☐ Professional arc	hitect licensed under Sect	ion 481.213, Florida Statutes.						
☐ Professional eng	jineer licensed under Sect	ion 471.015, Florida Statutes.						
I also certify that I personally inspected the premises at the Location Address listed above on the inspection date provided on this Mitigation Inspection Form. In my professional opinion, based on my knowledge, information and belief, I certify that the above statements are true and correct.								
structural or physical ch to receive a property in other purpose. The und nothing in this Form sh	aracteristics exist at the Locationsurance premium discount on dersigned does not make a he all be construed to impose on	set forth in it are provided solely for Address listed above and for the properties insurance provided by Citizens Properties although the undersigned or on any entity to do not on any other person or entity.	urpose of perm perty Insurance y, express or i	e Corporation and for no mplied, of any kind, and				
Name of Company:	James Shumway for Don M	eyler Inspections	Phone:	(954) 749-7099				
Name of Inspector	James Shumway	License Type General	License #	CGC1516363				
Inspection Date:	3/25/2025							
Signature:	Junt		Date:	3/25/2025				
Applicant /Insured's Signature *:			Date:	3/25/2025				
homeowner's association	s or an officer of the named i	Board President and another me nsured for all other business entiti	es.					
		re, defraud, or deceive any insu ding information is guilty of a felor						

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.



Inspection Photos 3499 Oaks Way, Bldg #117








Back Elevation



Right Elevation









Inspection Photos 3499 Oaks Way, Bldg #117









Built Up/Rolled Asphalt (Flat) Roof Covering



reinforced concrete

This insurance inspection is limited in scope and was conducted solely to assist the policyholder to obtain property insurance via a licensed insurance agent, and it may not be used for any other purpose.

Thank you for using DMI. For comments, questions, or to request an inspection please contact Don Meyler Inspections at (800) 469-0434 or at Research@dmifla.com Built Up/Rolled Asphalt (Flat) Roof Covering





Inspection Photos 3499 Oaks Way, Bldg #117

Don Meyler Inspections

PALM AIRE #117 CONDO 3499 OAKS WY COMM APPLICATION NO CO A~ BUILDING APPROVED 000000000 ASSOC Address: Square Footage: Owner: Application Type: COMMON003499COMM 9205-HD-117-23 - 9759 11/16/23 Valuation: \$516,500 Parcel ID: Application #: Application Date:

General Contractor: Application Status: REROOF Tenant Name: Tenant Unit Number:

SOUTHERN CERTIFIED

Zoning Description: MULTIPLE FAMILY

RESIDENCE

Roof Permit

unprotected window



unprotected glazed door

